



MetaWrap
MD-X 

Cylinder Cast Digital Wrap Film

MetaWrap MD-X

Cylinder Cast Digital Wrap Film

MetaWrap is manufactured differently to other wrapping films. That's why it's better. That's why it resets wrapping's economics.

MetaWrap is used by those who are on wrapping's learning curve and by those with years of experience who appreciate the MetaWrap difference.

MetaWrap comes in a selection of variations with specialist adhesives and added features making it suitable for a huge range of applications where performance and trust are critical.

MetaWrap MD-X Cylinder Cast Digital Wrap Film with MetaScape

Developed to flow and conform over the most challenging surfaces. Supplied with the MetaScape air release adhesive system to allow quick and easy application on compound curves as well as moderate recesses. The grey blockout adhesive ensures vibrant graphics and minimal substrate show through, as well as clean removal.

MetaWrap MD-XB Cylinder Cast Digital Wrap Film

Developed with full coverage adhesive making it suitable for deeper channels and recesses, and the most challenging surfaces. The Apex adhesive system gives assurance of high performance and trouble-free application. The film offers high levels of dimensional stability, and brilliant colour reproduction. MD-XB is also available as MD-X-105 Clear Gloss, supplied with Apex clear adhesive.

Interested in learning how to wrap?

Vehicle wrapping is continuing to grow in popularity and represents an attractive commercial opportunity for those with the skills needed to do the job. Metamark sponsors various Vehicle Wrap Courses in the UK, that are an excellent way to gain hands-on wrap experience, as well as useful tips and tricks.

For information on Vehicle Wrap Courses visit our website or contact our customer services team on **0345 345 5645**. You can also view our application guide videos on our Metamark YouTube channel - **Metamarkuk**.



Specifications



MetaWrap MD-X

Face Film	Cylinder Cast Film
Gauge	50 micron
Adhesive	MetaScape Grey Solvent-Based with Air Channels
Liner	Structured PE Layflat Liner
Durability*	7 Years
Fire Rating	Self-extinguishing
Roll Widths	760mm / 1370mm / 1600mm
Roll Lengths	25m / 50m

MetaWrap MD-XB

Face Film	Cylinder Cast Film
Gauge	50 micron
Adhesive	Permanent Grey Solvent-Based
Liner	Layflat PE Liner
Durability*	7 Years
Fire Rating	Self-extinguishing
Roll Widths	760mm / 1370mm / 1600mm
Roll Lengths	25m / 50m

*Durability – 7 years (unprinted). Vertical exposure under Northern European conditions. For other regions and climates, refer to our full Durability Guide found on our website.



Choose Metamark

Metamark materials are trusted by the world's leading producers of signs and graphics. They are specified by leading brands' managers and are insisted on when looking for quality and value.

Technical Leadership

Our class leading manufacturing, selection and conversion control processes guarantee the highest standard of quality, technical compatibility and consistency. Metamark's technical leadership is delivered as standard with every product we sell.

Customer Satisfaction and Value

We build relationships and we're prepared to listen, so we ensure our products and services better reflect your needs and technical requirements. We manage every element of your experience in working with us, from product performance to state of the art order processing.



Metamark (UK) Limited

Metamark House, Octimum Business Park, Forsyth Road, Woking, GU21 5SF, UK

Luneside, New Quay Road, Lancaster, LA1 5QP, UK

Telephone UK: 0345 345 5645 • International: +44 (0)1483 571111

Email: info@metamark.co.uk

Website: www.metamark.co.uk

Warranty: Metamark (UK) Limited warrants to its customer that graphics and markings produced using Metamark Digital Media will remain in satisfactory condition for a term no less than that defined in the technical literature. If within the term as outlined, Metamark, at its sole discretion, judges that graphics and markings produced using its materials have suffered unacceptable degradation, Metamark will provide sufficient materials to enable the production of replacement graphics or markings. Metamark further warrants that its materials will be supplied free of defects incurred in manufacturing and undertakes to replace, free of charge, any materials it judges to be defective upon examination. For full warranty information, visit www.metamark.co.uk/support/metamark-warranty

Performance you can trust